# LAMPIRAN II

## 1. Regression ROA-X

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | 1015.524 | 1 | 1015.524 | 8.829 | .005[a] |
| | Residual | 5751.049 | 50 | 115.021 | | |
| | Total | 6766.573 | 51 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: ROA

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | -9.480 | 4.374 | | -2.167 | .035 | | |
| | KEPEMILIKAN BUMN | .219 | .074 | .387 | 2.971 | .005 | 1.000 | 1.000 |

a. Dependent Variable: ROA

## 2. Regression ROE-X

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | 162.822 | 1 | 162.822 | .606 | .440[a] |
| | Residual | 13437.338 | 50 | 268.747 | | |
| | Total | 13600.160 | 51 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: ROE

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | 20.600 | 6.687 | | 3.081 | .003 | | |
| | KEPEMILIKAN BUMN | .088 | .113 | .109 | .778 | .440 | 1.000 | 1.000 |

a. Dependent Variable: ROE

## 3. Regression ROS-X

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | 44.555 | 1 | 44.555 | 7.645 | .008[a] |
| | Residual | 291.394 | 50 | 5.828 | | |
| | Total | 335.949 | 51 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: ROS

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | -1.794 | .985 | | -1.821 | .075 | | |
| | KEPEMILIKAN BUMN | .046 | .017 | .364 | 2.765 | .008 | 1.000 | 1.000 |

a. Dependent Variable: ROS

## 4. Regression SE-X

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | 1.181 | 1 | 1.181 | 1.334 | .045[a] |
| | Residual | 4.426 | 50 | 8852350.977 | | |
| | Total | 4.544 | 51 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: SE

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | 2314.382 | 1213.574 | | 1.907 | .062 | | |
| | KEPEMILIKAN BUMN | 23.650 | 20.475 | .161 | 1.755 | .045 | 1.000 | 1.000 |

a. Dependent Variable: SE

## 5. Regression NIE-X

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | 4.733E9 | 1 | 4.733E9 | 5.397 | .024[a] |
| | Residual | 4.385E10 | 50 | 8.770E8 | | |
| | Total | 4.858E10 | 51 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: NIE

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | -19221.328 | 12078.959 | | -1.591 | .118 | | |
| | KEPEMILIKAN BUMN | 473.451 | 203.792 | .312 | 2.323 | .024 | 1.000 | 1.000 |

a. Dependent Variable: NIE

## 6. Regression RS

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | 1.177 | 1 | 1.177 | 2.534 | .018[a] |
| | Residual | 23.226 | 50 | .465 | | |
| | Total | 24.403 | 51 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: RS

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | .113 | .278 | | .405 | .687 | | |
| | KEPEMILIKAN BUMN | .007 | .005 | .220 | 1.792 | .018 | 1.000 | 1.000 |

a. Dependent Variable: RS

## 7. Regression RL-X

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | 648.873 | 1 | 648.873 | .042 | .838[a] |
| | Residual | 769214.238 | 50 | 15384.285 | | |
| | Total | 769863.111 | 51 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: RL

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | 29.214 | 50.591 | | .577 | .566 | | |
| | KEPEMILIKAN BUMN | -.175 | .854 | -.029 | -.205 | .838 | 1.000 | 1.000 |

a. Dependent Variable: RL

## 8. Regression RC-X

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | 3.969 | 1 | 3.969 | 2.669 | .019[a] |
| | Residual | 7.435 | 50 | 1.487 | | |
| | Total | 7.832 | 51 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: RC

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | 8.350 | 1.573 | | 5.309 | .000 | | |
| | KEPEMILIKAN BUMN | -43354.359 | 26536.930 | -.225 | -1.734 | .019 | 1.000 | 1.000 |

a. Dependent Variable: RC

## 9. Regression RU-X

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | .250 | 1 | .250 | 3.883 | .046[a] |
| | Residual | 3.219 | 50 | .064 | | |
| | Total | 3.469 | 51 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: RU

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | .309 | .103 | | 2.986 | .004 | | |
| | KEPEMILIKAN BUMN | .003 | .002 | .268 | 1.971 | .046 | 1.000 | 1.000 |

a. Dependent Variable: RU

## 10. Regression TIE-X

**ANOVA[b]**

| Model | | Sum of Squares | df | Mean Square | F | Sig. |
|---|---|---|---|---|---|---|
| 1 | Regression | 1311.196 | 1 | 1311.196 | 15.131 | .000[a] |
| | Residual | 3986.209 | 46 | 86.657 | | |
| | Total | 5297.405 | 47 | | | |

a. Predictors: (Constant), KEPEMILIKAN BUMN

b. Dependent Variable: TIE

**Coefficients[a]**

| Model | | Unstandardized Coefficients | | Standardized Coefficients | t | Sig. | Collinearity Statistics | |
|---|---|---|---|---|---|---|---|---|
| | | B | Std. Error | Beta | | | Tolerance | VIF |
| 1 | (Constant) | 18.734 | 3.798 | | 4.932 | .000 | | |
| | KEPEMILIKAN BUMN | -.251 | .065 | -.498 | -3.890 | .000 | 1.000 | 1.000 |

a. Dependent Variable: TIE